References

- de Onis M, Blossner M, Borghi E. Global prevalence and trends of overweight and obesity among preschool children. Am J Clin Nutr. 2010;92(5):1257-1264.
- Lobstein T, Jackson-Leach R. Planning for the worst: estimates of obesity and comorbidities in school-age children in 2025. Pediatric Obesity. 2016;11(5):321-325.
- Ng M, Fleming T, Robinson M, et al. Global, regional, and national prevalence of overweight and obesity in children and adults during 1980–2013: a systematic analysis for the Global Burden of Disease Study 2013. The Lancet. 2014;384(9945):766-781.
- World Health Organization. Consideration of the evidence on childhood obesity for the Commission on Ending Childhood Obesity: report of the ad hoc working group on science and evidence for ending childhood obesity. Geneva, Switzerland2016.
- Harvard School Of Public Health. Child Obesity: Too Many Kids Are Too Heavy, Too Young. Obesity Prevention Source https://www.hsph.harvard.edu/obesity-prevention-source/ obesity-trends/global-obesity-trends-in-children/#References. Accessed July 19, 2016.
- Wang Y, Lobstein T. Worldwide trends in childhood overweight and obesity. International Journal of Pediatric Obesity. 2006;1(1):11-25.
- Ebbeling CB, Pawlak DB, Ludwig DS. Childhood obesity: public-health crisis, common sense cure. The Lancet. 2002;360(9331):473-482.
- Daniels S. Complications of obesity in children and adolescents. International Journal of Obesity. 2009;33:S60-S65.
- Food Research & Action Center. Consequences of Childhood Obesity. Fighting Obesity and Hunger http://frac.org/initiatives/hunger-and-obesity/what-are-the-consequences-of-childhood-overweight-and-obesity/. Accessed July 29, 2016.
- Morrison KM, Shin S, Tarnopolsky M, Taylor VH. Association of depression & health related quality of life with body composition in children and youth with obesity. Journal of affective disorders. 2015;172:18-23.
- Halfon N, Larson K, Slusser W. Associations between obesity and comorbid mental health, developmental, and physical health conditions in a nationally representative sample of US children aged 10 to 17. Academic pediatrics. 2013;13(1):6-13.
- 12. Schwimmer JB, Burwinkle TM, Varni JW. Health-related quality

of life of severely obese children and adolescents. Jama. 2003;289(14):1813-1819.

- Taylor VH, Forhan M, Vigod SN, McIntyre RS, Morrison KM. The impact of obesity on quality of life. Best practice & research Clinical endocrinology & metabolism. 2013;27(2):139-146.
- Neumark-Sztainer D, Story M, Hannan PJ, Perry CL, Irving LM. Weight-related concerns and behaviors among overweight and nonoverweight adolescents: implications for preventing weightrelated disorders. Archives of pediatrics & adolescent medicine. 2002;156(2):171-178.
- Griffiths LJ, Wolke D, Page AS, Horwood J. Obesity and bullying: different effects for boys and girls. Archives of disease in childhood. 2006;91(2):121-125.
- Lumeng JC, Forrest P, Appugliese DP, Kaciroti N, Corwyn RF, Bradley RH. Weight status as a predictor of being bullied in third through sixth grades. Pediatrics. 2010;125(6):e1301-e1307.
- Cairns G, Angus K, Hastings G, Caraher M. Systematic reviews of the evidence on the nature, extent and effects of food marketing to children. A retrospective summary. Appetite. 2013;62:209-215.
- Palmer E, Carpenter C. Food and Beverage Marketing to Children and Youth: Trends and Issues. Media Psychology. 2006;8(2):165-190.
- Montgomery KC, Chester J. Interactive food and beverage marketing: targeting adolescents in the digital age. J Adolesc Health. 2009;45(3 Suppl):S18-29.
- World Health Organization, Regional Office for Europe. Tackling food marketing to children in a digital world: trans-disciplinary perspectives. Copenhagen, Denmark2016.
- The Economist Intelligence Unit. The Impacts of Banning Advertising Directed at Children in Brazil. 2017; http://criancaeconsumo.org.br/biblioteca/the-impacts-of-banning-advertising-directed-at-children-in-brazil/. Accessed May 10, 2019.
- 22. Pan American Health Organization. Recommendations from a Pan American Health Organization Expert Consultation on the Marketing of Food and Non-Alcoholic Beverages to Children in the Americas. Washington, DC2011.
- Centers for Disease Control and Prevention. Childhood Obesity Causes & Consequences 2015; https://www.cdc.gov/obesity/ childhood/causes.html. Accessed August 2, 2016.
- 24. Lobstein T, Jackson-Leach R, Moodie ML, et al. Child and

adolescent obesity: part of a bigger picture. The Lancet. 2015;385(9986):2510-2520.

- 25. Swinburn BA, Sacks G, Hall KD, et al. The global obesity pandemic: shaped by global drivers and local environments. The Lancet. 2011;378(9793):804-814.
- Gearhardt AN, Bragg MA, Pearl RL, Schvey NA, Roberto CA, Brownell KD. Obesity and public policy. Annu Rev Clin Psychol. 2012;8:405-430.
- McGinnis JM, Gootman JA, Kraak VI. Food marketing to children and youth: threat or opportunity? : National Academies Press; 2006.
- Singh AS, Mulder C, Twisk JW, van Mechelen W, Chinapaw MJ. Tracking of childhood overweight into adulthood: a systematic review of the literature. Obes Rev. 2008;9(5):474-488.
- 29. Federal Trade Commission. A Review of Food Marketing to Children and Adolescents: Follow-Up Report. 2012.
- Harris JL, Pomeranz JL, Lobstein T, Brownell KD. A crisis in the marketplace: how food marketing contributes to childhood obesity and what can be done. Annu Rev Public Health. 2009;30:211-225.
- Kelly B, Vandevijvere S, Ng S, et al. Global benchmarking of children's exposure to television advertising of unhealthy foods and beverages across 22 countries. Obesity Reviews. 2019.
- 32. Common Sense Media. Advertising to Children and Teens: Current Practices. 2014.
- Cheyne AD, Dorfman L, Bukofzer E, Harris JL. Marketing sugary cereals to children in the digital age: a content analysis of 17 child-targeted websites. J Health Commun. 2013;18(5):563-582.
- World Health Organization. Set of recommendations on the marketing of foods and non-alcoholic beverages to children. 2013. 1095-8304.
- Kelly B, Halford JC, Boyland EJ, et al. Television food advertising to children: a global perspective. American journal of public health. 2010;100(9):1730-1736.
- Matthews AE. Children and obesity: a pan-European project examining the role of food marketing. The European Journal of Public Health. 2008;18(1):7-11.
- American Heart Association. Children should eat less than 25 grams of added sugars daily. 2016. http://newsroom.heart.org/ news/children-should-eat-less-than-25-grams-of-added-

References

sugars-daily. Accessed August 29, 2016.

- Harris JL, Brownell KD, Bargh JA. The Food Marketing Defense Model: Integrating Psychological Research to Protect Youth and Inform Public Policy. Soc Issues Policy Rev. 2009;3(1):211-271.
- Hawkes C. Marketing Food to Children. The Regulatory Framework Geneva: World Health Organization. 2004.
- Simon M. Can Food Companies Be Trusted to Self-Regulate-An Analysis of Corporate Lobbying and Deception to Undermine Children's Health. Loy LAL Rev. 2006;39:169.
- Duff Wilson, Roberts J. Special Report: How Washington went soft on childhood obesity. 2012. http://www.reuters.com/article/ us-usa-foodlobby-idUSBRE83Q0ED20120427.
- Hawkes C. Regulating and litigating in the public interest: regulating food marketing to young people worldwide: trends and policy drivers. American Journal of Public Health. 2007;97(11):1962-1973.
- Hebden L, King L, Kelly B. Art of persuasion: an analysis of techniques used to market foods to children. J Paediatr Child Health. 2011;47(11):776-782.
- Moon YS. How food ads communicate 'health' with children: a content analysis of Korean television commercials. Asian Journal of Communication. 2010;20(4):456-476.
- Kunkel D, Gantz W. Children's television advertising in the multichannel environment. Journal of Communication. 1992;42(3):134-152.
- Lewis M, Hill A. Food advertising on British children's television: a content analysis and experimental study with nine-year olds. International Journal of Obesity & Related Metabolic Disorders. 1998;22(3).
- Kunkel D, Mastro D, Ortiz M, McKinley C. Food marketing to children on U.S. Spanish-language television. J Health Commun. 2013;18(9):1084-1096.
- Boyland EJ, Whalen R. Food advertising to children and its effects on diet: review of recent prevalence and impact data. Pediatr Diabetes. 2015;16(5):331-337.
- Story M, French S. Food advertising and marketing directed at children and adolescents in the US. International Journal of Behavioral Nutrition and Physical Activity. 2004;1(1):1.
- 50. Huang CY, Reisch LA, Gwozdz W, et al. Pester power and its consequences: do European children's food purchasing requests relate to diet and weight outcomes? Public Health

Nutr. 2016:1-11.

- 51. Kelly B, King M, Lesley, Chapman M, Kathy, Boyland E, Bauman AE, Baur LA. A hierarchy of unhealthy food promotion effects: identifying methodological approaches and knowledge gaps. American journal of public health. 2015;105(4):e86-e95.
- Tatlow-Golden M, Hennessy E, Dean M, Hollywood L. Young children's food brand knowledge. Early development and associations with television viewing and parent's diet. Appetite. 2014;80:197-203.
- Roberto CA, Baik J, Harris JL, Brownell KD. Influence of licensed characters on children's taste and snack preferences. Pediatrics. 2010;126(1):88-93.
- Smith R, Kelly B, Yeatman H, Boyland E. Food Marketing Influences Children's Attitudes, Preferences and Consumption: A Systematic Critical Review. Nutrients. 2019;11(4):875.
- Robinson TN, Borzekowski DL, Matheson DM, Kraemer HC. Effects of fast food branding on young children's taste preferences. Archives of pediatrics & adolescent medicine. 2007;161(8):792-797.
- 56. Sadeghirad B, Duhaney T, Motaghipisheh S, Campbell NR, Johnston BC. Influence of unhealthy food and beverage marketing on children's dietary intake and preference: a systematic review and meta-analysis of randomized trials. Obes Rev. 2016.
- Hastings G, Stead M, McDermott L, et al. Review of research on the effects of food promotion to children. London: Food Standards Agency. 2003.
- Taveras EM, Sandora TJ, Shih MC, Ross-Degnan D, Goldmann DA, Gillman MW. The Association of Television and Video Viewing with Fast Food Intake by Preschool-Age Children. Obesity. 2006;14(11):2034-2041.
- Gilbert-Diamond D, Emond J, Lansigan R, et al. Television food advertisement exposure and FTO rs9939609 genotype in relation to excess consumption in children. International Journal of Obesity. 2016.
- Emond JA, Lansigan RK, Ramanujam A, Gilbert-Diamond D. Randomized Exposure to Food Advertisements and Eating in the Absence of Hunger Among Preschoolers. Pediatrics. 2016;e20162361.
- 61. Wiecha JL, Peterson KE, Ludwig DS, Kim J, Sobol A, Gortmaker SL. When children eat what they watch: impact of television viewing on dietary intake in youth. Archives of Pediatrics &

Adolescent Medicine. 2006;160(4):436-442.

- 62. Utter J, Scragg R, Schaaf D. Associations between television viewing and consumption of commonly advertised foods among New Zealand children and young adolescents. Public health nutrition. 2006;9(05):606-612.
- Folkvord F, Anschutz DJ, Nederkoorn C, Westerik H, Buijzen M. Impulsivity, "advergames," and food intake. Pediatrics. 2014;133(6):1007-1012.
- Halford JC, Boyland EJ, Hughes G, Oliveira LP, Dovey TM. Beyond-brand effect of television (TV) food advertisements/ commercials on caloric intake and food choice of 5-7-year-old children. Appetite. 2007;49(1):263-267.
- Folkvord F, Anschütz DJ, Boyland E, Kelly B, Buijzen M. Food advertising and eating behavior in children. Current Opinion in Behavioral Sciences. 2016;9:26-31.
- United Nations. Convention on the Rights of the Child. 1989; http://www.ohchr.org/EN/ProfessionalInterest/Pages/CRC.aspx. Accessed August 3, 2016.
- 67. Brown V, Ananthapavan J, Veerman L, et al. The potential cost-effectiveness and equity impacts of restricting television advertising of unhealthy food and beverages to Australian children. Nutrients. 2018;10(5):622.
- European Union. Action Plan on Childhood Obesity 2014-2020. 2014.
- 69. World Cancer Research Fund International. NOURISHING Framwork: Restrict food advertising and other forms of commercial promotion. 2016; http://www.wcrf.org/sites/default/files/ Restrict-advertising.pdf. Accessed August 18, 2016.
- National Preventative Health Taskforce. Taking Preventative Action – A Response to Australia: The Healthiest Country by 2020 – The Report of the National Preventative Health Taskforce Australia2010.
- Vergara E, Henao LA. Chile seeks to fight obesity with new food labeling law. The Big Story. 2016. http://bigstory.ap.org/ article/f9b43cf296a546a09ef1c11d5e3fec01/chile-seeks-fightobesity-new-food-labeling-law. Accessed September 1, 2016.
- 72. Bess S. New regulations in Chile restrict Food Advertising to Children. Global Advertising Lawyers Alliance. 2015. http://www.themarketingsite.com/news/40975/newregulations-in-chile-restrict-food-advertising-to-children. Accessed Setpember 1, 2016.

References

- 73. Taillie LS, Busey E, Stoltze FM, Dillman Carpentier FR. Governmental policies to reduce unhealthy food marketing to children: A narrative review. Nutrition reviews. 2019;77(11):787-816.
- Biblioteca del Congreso Nacional de Chile. Ley Núm. 20.869
 [Law number 20.869]. In: Salud Md, ed2015.
- 75. Corvalan C, Reyes M, Garmendia ML, Uauy R. Structural responses to the obesity and non-communicable diseases epidemic: the Chilean Law of Food Labeling and Advertising. Obesity Reviews. 2013;14:79-87.
- 76. Corvalan C, Reyes M, Garmendia ML, Uauy R. Structural responses to the obesity and non-communicable diseases epidemic: Update on the Chilean law of food labelling and advertising. Obesity Reviews. 2019;20(3):367-374.
- Biblioteca del Congreso Nacional de Chile. Ley Núm. 20.606
 [Law number 20.606]. In: Salud Md, ed2015.
- 78. Carpentier FRD, Correa T, Reyes M, Taillie LS. Evaluating the impact of Chile's marketing regulation of unhealthy foods and beverages: pre-school and adolescent children's changes in exposure to food advertising on television. Public health nutrition. 2020;23(4):747-755.
- 79. Mediano Stoltze F, Reyes M, Smith TL, Correa T, Corvalán C, Carpentier FRD. Prevalence of Child-Directed Marketing on Breakfast Cereal Packages before and after Chile's Food Marketing Law: A Pre-and Post-Quantitative Content Analysis. International journal of environmental research and public health. 2019;16(22):4501.
- Correa T, Reyes M, Taillie LS, Corvalán C, Dillman Carpentier FR. Food Advertising on Television Before and After a National Unhealthy Food Marketing Regulation in Chile, 2016-2017. American journal of public health. 2020(0):e1-e6.
- Dillman Carpentier FR, Correa T, Reyes M, Taillie LS. Evaluating the impact of Chile's marketing regulation of unhealthy foods and beverages: pre-school and adolescent children's changes in exposure to food advertising on television. Public Health Nutrition. 2020;23(4):747-755.
- Taillie LS, Reyes M, Colchero MA, Popkin B, Corvalán C. An evaluation of Chile's Law of Food Labeling and Advertising on sugar-sweetened beverage purchases from 2015 to 2017: A before-and-after study. PLOS Medicine. 2020;17(2):e1003015.
- Reyes M, Smith Taillie L, Popkin B, Kanter R, Vandevijvere S, Corvalán C. Changes in the amount of nutrient of packaged

foods and beverages after the initial implementation of the Chilean Law of Food Labelling and Advertising: A nonexperimental prospective study. PLOS Medicine. 2020;17(7):e1003220.

- Galbraith-Emami S, Lobstein T. The impact of initiatives to limit the advertising of food and beverage products to children: a systematic review. Obes Rev. 2013;14(12):960-974.
- Swinburn B, Sacks G, Lobstein T, Rigby N, Baur LA. Short communication: The 'Sydney Principles' for reducing the commercial promotion of foods and beverages to children. Public health nutrition. 2008;11(9):881-886.
- 86. Chambers SA, Freeman R, Anderson AS, MacGillivray S. Reducing the volume, exposure and negative impacts of advertising for foods high in fat, sugar and salt to children: A systematic review of the evidence from statutory and self-regulatory actions and educational measures. Prev Med. 2015;75:32-43.
- Taillie L, Busey E, Mediano Stoltze F, Dillman Carpentier F. Governmental policies to reduce unhealthy food marketing to children: A narrative review. Nutrition Reviews. 2019.
- Pan American Health Organization. Pan American Health Organization Nutrient Profile Model. 2016.
- Global Agricultural Information Network. Chile's New Nutritional Labeling Law. 2015.
- 90. United Kingdom Department of Health. Nutrient Profiling Technical Guidance. 2011.
- Kraak VI, Vandevijvere S, Sacks G, et al. Progress achieved in restricting the marketing of high-fat, sugary and salty food and beverage products to children. Bull World Health Organ. 2016;94(7):540-548.
- García AL, Morillo-Santander G, Parrett A, Mutoro AN. Confused health and nutrition claims in food marketing to children could adversely affect food choice and increase risk of obesity. Archives of Disease in Childhood. 2019:archdischild-2018-315870.
- 93. Whalen R, Harrold J, Child S, Halford J, Boyland E. The health halo trend in UK television food advertising viewed by children: the rise of implicit and explicit health messaging in the promotion of unhealthy foods. International journal of environmental research and public health. 2018;15(3):560.
- 94. Perry A, Chacon V, Barnoya J. Health claims and product endorsements on child-oriented beverages in Guatemala.

Public health nutrition. 2018;21(3):627-631.

- Harris JL, LoDolce M, Dembek C, Schwartz MB. Sweet promises: Candy advertising to children and implications for industry self-regulation. Appetite. 2015;95:585-592.
- Griffith R, O'Connell M, Smith K, Stroud R. The potential impacts of banning television advertising of HFSS food and drink before the watershed. Institute for Fiscal Studies. 2019.
- UNICEF. Exploratory study of marketing and advertisement of unhealthy food and beverages targeted to children in Latin America and the Caribbean. 2015.
- 98. World Health Organization. A framework for implementing the set of recommendations on the marketing of foods and non-alcoholic beverages to children. 2012.
- Swinburn B, Kraak V, Rutter H, et al. Strengthening of accountability systems to create healthy food environments and reduce global obesity. The Lancet. 2015;385(9986):2534-2545.