

The mechanisms and benefits of exercise

 openaccessgovernment.org/article/the-mechanisms-and-benefits-of-exercise/166745

19 September 2023

At Wayne State University, Robert Wessells and his team are making significant strides in identifying potential exercise mediators or mimetics that could help mitigate pathologies resulting from prolonged sedentary periods

Exercise is an indispensable part of our daily life to maintain a healthy body and brain across ages. Regular exercise has been shown to reduce the incidence of many age-related diseases and preserves healthy function during normal aging, improving quality of life and independence. However, chronic exercise remains inaccessible to portions of the population due to injury, illness, advanced age or job-enforced sedentary periods.

Therefore, identifying potential exercise mediators or mimetics that can deliver the benefits of exercise to sedentary people would be potentially transformative in reducing disease burden worldwide.

At Wayne State University in Detroit, Michigan, USA, Dr Robert (RJ) Wessells and his lab team have used the many genetic tools available for use in fruit flies to identify several single molecules that act as powerful exercise mimetics in the brain and muscle of sedentary flies.

Exercise in fruit flies

The fruit fly *Drosophila melanogaster* is an excellent model organism to study mechanisms of exercise due to its short lifespan, large sample sizes, and low cost of maintenance. Moreover, about 60% of *Drosophila*'s genes have known human homologs, making genetic discoveries highly likely to be relevant to humans.

To understand how flies respond to exercise, the Wessells group first established an automated exercise device known as the Power Tower that utilizes flies' inherent response to negative geotaxis, an instinctive behavior to climb upwards after being dropped to the bottom of their vials. After a three-week program of ramped daily training, the endurance and speed of the exercised group are dramatically higher than unexercised controls.

Using this system, the Wessells group identified a specific subset of neurons in the brain that were necessary and sufficient to coordinate a systemic response to exercise training. These neurons are responsible for the synthesis and synaptic release of the invertebrate functional equivalent of norepinephrine, known as octopamine.

In humans, norepinephrine is a well-known player in acute bouts of exercise, where it acts to increase heart rate and blood pressure to ensure sufficient delivery of oxygen to exercising muscle, so the involvement of octopamine in fly exercise was not completely surprising. However, the idea that this conserved acute response could also be acting to coordinate the long-term systemic response to chronic exercise training was unexpected and exciting.

Translating this to humans

To confirm the central role of octopamine, they next expressed an inducible depolarizing construct, specifically in octopaminergic neurons, making it possible to turn octopamine production on and off at will. Using this, they performed an experiment in which octopaminergic neurons were activated with the exact time and duration of the flies' normal training program but without any actual exercise.

Amazingly, this pulsatile release of octopamine in sedentary flies caused the exact same increases in speed, endurance, and cardiac performance as that delivered by actual exercise. Conceptually, this means that, at least in flies, the coordinated response to chronic endurance exercise training is completely mediated by a subset of neurons in the brain and does not absolutely require actual movement to occur, provided the brain can be induced to initiate its normal response to exercise.

The next question was, what molecules are responding to octopamine in muscle to mediate the benefits of training? The Wessells group has identified several proteins that are induced by circulating octopamine and can mimic the effects of exercise training when overexpressed in muscle. Each has conserved orthologs or analogs in humans, suggesting that these molecules may serve as promising therapeutics to humans that are unable to exercise because of injury or illness.

Work has begun to start using these exercise-induced molecules as therapeutic avenues for the treatment of various diseases. Already, the Wessells group has collaborated with the Todi lab at Wayne State University to show that genetically inducing expression of some of these proteins can dramatically restore mobility and slow disease progression in a fly model of Spinal Cerebellar Ataxia 2 (SCA2), a neurodegenerative disease for which there is presently no cure. Likewise, expression of some of the same molecules can restore mobility to fly models of the mitochondrial disease Barth Syndrome, a disease that severely restricts the energy metabolism of its patients and currently has no cure.

In parallel with their studies in disease models, they are also actively engaged in discovering ways to use exercise-induced models to prevent accumulated pathologies resulting from long sedentary periods in otherwise healthy individuals. One such target population is shift workers, whose work activities lead to disrupted circadian rhythms, which are the naturally occurring rhythms regulated by a central clock in the brain, along with peripheral clocks in other tissues, that govern the daily ebb and flow of appetite, sleep drive, digestion and general metabolism.

Disruption of these rhythms can gradually lead to dysregulation of metabolic activity and increase the incidence of cardiovascular disease and other medical issues. In addition, humans and animal models with disrupted circadian rhythms experience reduced exercise capacity and seem to gain less benefit from exercise training than controls.

Using virtual reality to provide the benefits of exercise

Recent work in the Wessells lab demonstrates that genetically activating proteins that are induced by exercise can restore exercise capacity to flies with disrupted circadian rhythms, even without bringing the circadian rhythms back into balance. While this work is in the early stages, it points to potential therapeutic interventions in the future that can help mitigate the effects of disrupted circadian rhythms in humans whose schedules require unusual hours.

However, it is not possible to manipulate gene expression precisely in humans, as we can in experimental models such as fruit flies. Therefore, the Wessells group is working to identify a safe way of ‘tricking’ the brain into coordinating an exercise response in sedentary humans. One promising avenue for executing this is with sensory stimulation by virtual reality (VR).

VR integrates auditory and visual simulations to deliver an immersive experience to its users while allowing users to retain a sense of identification and control over the virtual environment. Using a customized virtual environment created by collaborators at the company 4Experience, the Wessells group has begun pilot experiments to examine whether “virtual” exercise could cause the release of norepinephrine that, if applied safely in a pulsatile fashion, might mimic some of the benefits of exercise.

They and others have so far demonstrated that “virtual” exercise can increase heart rate and alter heart rate variability in a way consistent with the activation of norepinephrine. It remains to be seen whether chronic application of VR stimulation could have the same benefits in humans, and this will be an active area of investigation in the next few years.

If so, they imagine a future in which patients confined to bed rest or people with jobs that prevent them from regular exercise could use “virtual” exercise to maintain metabolic health and avoid the complications induced by enforced sedentary behavior, a potentially transformative, low-cost change to health care.

Please Note: This is a Commercial Profile



This work is licensed under a [Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License](https://creativecommons.org/licenses/by-nc-nd/4.0/).

More About Stakeholder



Senescence: Examining genetic responses, exercise benefits and age-related decline

Robert Wessells' lab at Wayne State University has been focusing on the field of functional senescence, particularly age-related decline in mobility and exercise capacity. The capacity of the elderly population to retain mobility is a substantial quality of life issue and an important way of avoiding health complications from inactivity and/or falls. Therefore, understanding the [...]